

# PolyKeg®



*Light and Strong*





## BASIC LINE

### PolyKeg® BASIC

is the simplest type of the range but, as per all our kegs, is produced according to PolyKeg's technology. It guarantees perfect protection for the product, high resistance to pressure and good protection to shocks.



## GAMMA

### WITHOUT BAG

### WITH BAG

Sizes	12 L - 16 L - 20 L - 24 L - 30 L	12 L - 16 L - 20 L - 24 L - 30 L
Fittings	A - S - G - D - M - K	A - S - G - D - M - K
Colours	SILVER / AMBER	CLEAR

## FEATURES

One-way keg in plastic

Application: beer, wine, cider, soft-drinks, etc.

"O<sub>2</sub> free"

Stackable keg only if rigid layer is used

Nominal working pressure: max. 3.5 bar

Burst pressure: ~10 bar

PRV® (Pressure relief valve)

AirBagKeg®

## WEIGHT AND DIMENSIONS

	12 L	16 L	20 L	24 L	30 L
Max. Diameter	246 mm	246 mm	246 mm	283 mm	283 mm
Max. Height	394 mm	484 mm	572 mm	562 mm	666 mm
Empty Weight for standard keg	0.80 Kg	0.88 Kg	0.95 Kg	1.12 Kg	1.25 Kg
Empty Weight for keg with bag	0.87 Kg	0.94 Kg	1.02 Kg	1.21 Kg	1.34 Kg
Kegs on each Epal Pallet 80x120	75 pcs.	60 pcs.	60 pcs.	48 pcs.	36 pcs.
Kegs on each Epal Pallet 100x120	100 pcs.	80 pcs.	80 pcs.	56 pcs.	42 pcs.

**Compatible with most of the existing filling machines and dispensing systems  
In compliance with EU and FDA guidelines for food use**

# PolyKeg®



*Light and Strong*





## SMART LINE

### PolyKeg® SMART

guarantees a perfect protection for the product, high resistance to pressure, very good stackability, handling and protection to shocks.



## RANGE

	WITHOUT BAG	WITH BAG
Sizes	12 L - 16 L - 20 L - 24 L - 30 L	12 L - 16 L - 20 L - 24 L - 30 L
Fittings	A - S - G - D - M - K	A - S - G - D - M - K
Colours	SILVER / AMBER	CLEAR

## FEATURES

One-way keg in plastic

Application: beer, wine, cider, soft-drinks, etc.

"O<sub>2</sub> free"

Stackable keg

Nominal working pressure: max. 3,5 bar

Burst pressure: ~10 bar

PRV® (Pressure relief valve)

AirBagKeg®

WEIGHT AND DIMENSIONS	12 L	16 L	20 L	24 L	30 L
Max. Diameter	246 mm	246 mm	246 mm	283 mm	283 mm
Max. Height	404 mm	494 mm	582 mm	572 mm	676 mm
Empty Weight for standard keg	0.99 Kg	1.06 Kg	1.13 Kg	1.31 Kg	1.43 Kg
Empty Weight for keg with bag	1.05 Kg	1.13 Kg	1.21 Kg	1.39 Kg	1.52 Kg
Kegs on each Epal Pallet 80x120	75 pcs.	60 pcs.	60 pcs.	48 pcs.	36 pcs.
Kegs on each Epal Pallet 100x120	100 pcs.	80 pcs.	80 pcs.	56 pcs.	42 pcs.

**Compatible with most of the existing filling machines and dispensing systems  
In compliance with EU and FDA guidelines for food use**

# PolyKeg®



*Light and Strong*





## PREMIUM LINE

**PolyKeg® PREMIUM** ensures perfect protection for the contents, a higher working pressure, excellent stackability and very good handling with maximum resistance to shocks.



### RANGE

	WITHOUT BAG	WITH BAG
Sizes	16 L - 20 L - 24 L - 30 L	16 L - 20 L - 24 L - 30 L
Fittings	A - S - G - D - M - K	A - S - G - D - M - K
Colours	SILVER / AMBER	CLEAR

### FEATURES

One-way keg in plastic

Application: beer, wine, cider, soft-drinks, etc.

"O<sub>2</sub> free"

Stackable keg

Nominal working pressure: max. 3,5 bar

Burst pressure: ~10 bar

PRV® (Pressure relief valve)

AirBagKeg®

### WEIGHT AND DIMENSIONS

	16 L	20 L	24 L	30 L
Max. Diameter	283 mm	283 mm	283 mm	283 mm
Max. Height	436 mm	504 mm	572 mm	676 mm
Empty Weight for standard keg	1.37 Kg	1.45 Kg	1.54 Kg	1.66 Kg
Empty Weight for keg with bag	1.44 Kg	1.53 Kg	1.62 Kg	1.75 Kg
Kegs on each Epal Pallet 80x120	60 pcs.	48 pcs.	48 pcs.	36 pcs.
Kegs on each Epal Pallet 100x120	70 pcs.	56 pcs.	56 pcs.	42 pcs.

**Compatible with most of the existing filling machines and dispensing systems  
In compliance with EU and FDA guidelines for food use**